


Power Pack PB51



Thank you for your purchase of this Magnasonic product.
Please read this instruction manual carefully before
using product to ensure proper use.
Keep this manual in a safe place for future reference.



◆ Main Parameter

Battery type: Lithium-ion polymer battery

Life cycle: ~500 cycles

Input: 5V/1.5A

Dual Output: 5V/2.1A max

Capacity: 5000mAh@3.7V (18.5Wh)


Size: 101*62*14mm

Using Temperature: -10°C~45°C

Charging Time: about 5.5 hours

◆ Standard Components


1. PB51 power pack,
2. USB Cable,
3. User manual




USB Cable(Pic.2)

Power On/Off /Check

LED indicator




Output: 5V/2.1A max




Input 5V/1.5A

PB51 power pack

Battery Check



LED indicator





Remarks: ● LED light - on


○ LED light - off



◆ Charging via Wall Charger




◆ Charging via PC





◆ Use



Charge 2 devices at the same time

Suitable for all products





- ◆ Do not expose the product to fire or close to high temperature.



- ◆ Do not try to short circuit.




- ◆ Do not expose the product to water or high humidity.



- ◆ Stop using if liquid leakage, overheating or any other unusual conditions occur.



- ◆ The best using temperature is between -10°C ~ 45°C



- ◆ Green power

